

# **SAFETY DATA SHEET**

Revision date 03/02/2023 Revision Number 1

# 1. Identification

**Product identifier** 

Product Name Speed

Other means of identification

Product Code(s) 425

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Automotive Care Products

Restrictions on use No information available

Details of the supplier of the safety data sheet

## **Manufacturer Address**

3D International 20724 Centre Pointe Pkwy #1 Santa Clarita, CA 91350

Emergency telephone number

Emergency Telephone CHEMTREC 1-800-424-9300 (US and Canada)

# 2. Hazard(s) identification

## Classification

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 4

Appearance cream Physical state Liquid Odor Fruity
Label elements

Warning

**Hazard statements** 

Harmful if swallowed Causes serious eye irritation Combustible liquid



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Keep away from flames and hot surfaces. - No smoking Wear protective gloves, eye protection and face protection

## **Precautionary Statements - Response**

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice and attention

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

## Other information

Causes mild skin irritation.

# 3. Composition/information on ingredients

## **Substance**

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Distillates (petroleum), hydrotreated light	64742-47-8	10 - <25%	-	-
Aluminum oxide	1344-28-1	5 - <10%	-	-
Glycerin	56-81-5	2.5 - <5%	-	-
propan-2-ol	67-63-0	1 - <2.5%	-	-

Components listed, if any, are present above their levels of disclosure.

The exact percentage/concentration is withheld as a trade secret in accordance with 29 CFR 1910.1200.

## 4. First-aid measures

#### Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Wear

personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may

cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Keep product and empty container away from heat and sources of ignition. In the event of

fire, cool tanks with water spray.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

# 7. Handling and storage

## Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children.

# 8. Exposure controls/personal protection

# Control parameters Exposure Limits

Chemical name		ACGIH T	LV	0:	SHA PEL	NIOSH
Aluminum oxide		TWA: 1 mg/m <sup>3</sup> respirable		TWA: 15 r	mg/m³ total dust	-
1344-28-1		particulate matter		TWA: 5 m	ıg/m³ respirable	
					fraction	
				(vacated) TV	VA: 10 mg/m³ total	
					dust	
					) TWA: 5 mg/m³	
					able fraction	
Glycerin		-			ng/m³ mist, total	-
56-81-5					articulate	
					m <sup>3</sup> mist, respirable	
					fraction	
					/A: 10 mg/m³ mist,	
					particulate	
					NA: 5 mg/m³ mist,	
		0751 400			able fraction	IDI II 0000
propan-2-ol		STEL: 400			A: 400 ppm	IDLH: 2000 ppm
67-63-0		TWA: 200	ppm		: 980 mg/m³	TWA: 400 ppm
					TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
					TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
					STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>
Chemical name		I Alberta	British C		Ontario	Quebec
Aluminum oxide		WA: 10 mg/m <sup>3</sup>		0 mg/m <sup>3</sup>	TWA: 1 mg/m	
1344-28-1	I	WA. 10 mg/m²	I VVA. I.	o mg/m²	TVVA. T mg/m	· I VVA. 10 mg/m
Glycerin	Т	WA: 10 mg/m <sup>3</sup>	TWA: 10	0 mg/m³	-	TWA: 10 mg/m <sup>3</sup>
56-81-5			TWA: 3	3 mg/m <sup>3</sup>		
propan-2-ol	1	ΓWA: 200 ppm	TWA: 2	00 ppm	TWA: 200 ppn	
67-63-0		WA: 492 mg/m <sup>3</sup>	STEL: 4	l00 ppm	STEL: 400 ppr	
		STEL: 400 ppm				STEL: 500 ppm
	S	ΓEL: 984 mg/m <sup>3</sup>				STEL: 1230 mg/m <sup>3</sup>

**Biological occupational exposure limits** 

Chemical name	ACGIH
propan-2-ol	40 mg/L - urine (Acetone) - end of shift at end of workweek
67-63-0	

## **Appropriate engineering controls**

**Engineering controls** Showers

> Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work. Regular cleaning

of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear

suitable gloves and eye/face protection.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** cream Color purple Odor Fruity

**Odor threshold** No information available

Remarks • Method **Property** Values

7 - 8 None known pН Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known No data available Flash point None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known

~1.03 Relative density

None known Water solubility No data available None known None known No data available Solubility(ies) None known **Partition coefficient** No data available **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity > 30.5 None known

**Dynamic viscosity** No data available None known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

# 10. Stability and reactivity

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation. Causes mild skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Prolonged contact may cause redness and

irritation.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 7,482.40 mg/kg
ATEmix (inhalation-dust/mist) 56.10 mg/l
ATEmix (inhalation-vapor) 1,567.10 mg/l

**Component Information** 

oomponom mormanom			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Aluminum oxide	> 5000 mg/kg (Rat)	-	-

1344-28-1			
Glycerin 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg(Rabbit)	> 2.75 mg/L (Rat)4 h
propan-2-ol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	> 10000 ppm (Rat) 6 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
propan-2-ol	-	Group 3	-	X
67-63-0				

## Legend

#### IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 12. Ecological information

## **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum), hydrotreated light	-	LC50: =45mg/L (96h, Pimephales promelas)	-	-
64742-47-8		LC50: =2.2mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =2.4mg/L (96h,		
Glycerin		Oncorhynchus mykiss) LC50: 51 - 57mL/L (96h,		
56-81-5	-	Oncorhynchus mykiss)	-	-
propan-2-ol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
67-63-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =11130mg/L (96h,		
	EC50: >1000mg/L (72h,	Pimephales promelas)		

Desmodesmus	LC50: >1400000µg/L	
subspicatus)	(96h, Lepomis	
	macrochirus)	

Persistence and degradability

No information available.

#### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
Glycerin 56-81-5	-1.75
propan-2-ol 67-63-0	0.05

Mobility in soil

No information available.

Other adverse effects

No information available.

# 13. Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

California waste information

This product contains one or more substances that are listed with the State of California as

a hazardous waste.

# 14. Transport information

**DOT** Not regulated

# 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

**International Inventories** 

**Revision date** 03/02/2023

425 - Speed Re

**TSCA** 

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Distillates (petroleum), hydrotreated light	64742-47-8	Present	Active
Aluminum oxide	1344-28-1	Present	Active
Polydimethylsiloxane	63148-62-9	Present	Active
Glycerin	56-81-5	Present	Active
Montan Wax	8015-86-9	Present	Active
propan-2-ol	67-63-0	Present	Active
White Mineral Oil	8042-47-5	Present	Active

**DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Aluminum oxide - 1344-28-1	1.0
propan-2-ol - 67-63-0	1.0

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations** 

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			
Aluminum oxide 1344-28-1	X	X	X
Glycerin 56-81-5	X	X	X
propan-2-ol 67-63-0	X	X	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. Other information

NFPA Health hazards 2 Flammability 2 Instability 0 Special hazards - HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection X

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 03/02/2023

**Revision Note**No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

**-**