Due North Scents Northwoods Pine

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 1 of 7

Print Date: 2021-10-06 13:54

I. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Due North Scents Northwoods Pine

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Distributor: DSI Automotive Products

1271 Fayland Dr Fargo, ND 58102 (800) 437-4621

1.4 Emergency telephone number: (800) 535-5053

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal Word: Warning Hazard statments

Due North Scents Northwoods Pine

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 2 of 7

Print Date: 2021-10-06 13:54

H227	Combustible liquid		
H313	May be harmful in contact with skin		
H316	Causes mild skin irritation		
H317	May cause an allergic skin reaction		
H333	May be harmful if inhaled		
H411	Toxic to aquatic life with long lasting effects		
Precautionary Statements			
Prevention:			
P235	Keep cool		
P272	Contaminated work clothing should not be allowed out of the workplace		
P273	Avoid release to the environment		
Response:			
P302 + P352	IF ON SKIN: Wash with soap and water		
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell		
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention		
P363	Wash contaminated clothing before reuse		
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material		
P391	Collect Spillage		

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
125-12-2	204-727-6	10 - 20 %	H227; H316; H401		
Isobornyl acetate					
54464-57-2	259-174-3	1 - 2 %	H315; H317; H400; H410		
Tetramethyl Acetyloctahydronaphthalenes					
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411		
Pentamethylcyclopent-3-ene-butanol					
105-53-3	203-305-9	1 - 2 %	H227; H319; H402		
Diethyl malonate					
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412		
Limonene					
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;		
Dimethylte	etrahydro Benzal	dehyde	H411		

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 3 of 7

Print Date: 2021-10-06 13:54

Due North Scents Northwoods Pine

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410	
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319	
Lauraldehyde				
See Section 16 for full text of GHS classification codes				

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.16

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Due North Scents Northwoods Pine

Revised Date: 2021-01-13 00:00

Page 4 of 7

Print Date: 2021-10-06 13:54

SDS v1 GHS / OSHA

Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. **Exposure Controls/Personal Protection**

8.1 Control parameters

Exposure Limits:

Component ACGIH ACGIH **OSHA OSHA** TWA ppm STEL ppm TWA ppm STEL ppm

80-56-8 pinene 20

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Avoid Skin contact. Use chemically resistant gloves as needed. Skin protection:

9. **Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow(G4) - Golden Yellow(G6)

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): 198 F (92.22 C)

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 5 of 7

Print Date: 2021-10-06 13:54

Due North Scents Northwoods Pine

Auto flammability:Not determinedExplosive Properties:None ExpectedOxidizing properties:None Expected

 Vapor Pressure (mmHg@20 C):
 0.0263

 %VOC:
 3.28

 Specific Gravity @ 25 C:
 1.0680

 Density @ 25 C:
 1.0650

 Refractive Index @ 20 C:
 1.4700

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Dermal - (Rabbit) mg/kg

(LD50: 3293.3678) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 367.4317) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 6 of 7

Print Date: 2021-10-06 13:54

Due North Scents Northwoods Pine

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact: 54464-57-2: (1 - 2 %): Tetramethyl Acetyloctahydronaphthalenes				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Due North Scents Northwoods Pine

Page 7 of 7

Print Date: 2021-10-06 13:54

123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian Regulation	ons		
DSL			99.85% of the components are listed or exempt. The following components are NOT on the List:
67801-20-1	267-140-4	0.1 - 1.0 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol
198404-98-7	427-900-1	0.01 - 0.1%	Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl
131812-67-4	412-950-7	<= 10 ppm	2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-dioxolane (Okoumal)
54440-17-4		<= 0 ppm	2,3,3-Trimethylindanone

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H303 : May be harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H315 : Causes skin irritation	H317: May cause an allergic skin reaction
H319 : Causes serious eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412: Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(15.19) Aquatic Chronic Toxicity, Category 3	(13.61) Acute Toxicity Inhalation, Category 5
(2.03) Skin Corrosion/Irritation, Category 3	(1.52) Acute Toxicity Dermal, Category 5
(1.52) Aquatic Chronic Toxicity, Category 2	(1.50) Sensitization, Skin, Category 1B

DISCLAIMER

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. The above named supplier or any subsidiaries assume no liability for the accuracy of this information or the misuse of the product. This document is not intended for quality assurance purposes.