Product Name: RED HOT ALL PURPOSE CLNR. - 51-55

Product identifier: 51-55 **Revision Date:** 07-18-2015

Replaces:



1. Identification

Product Name: RED HOT ALL PURPOSE CLNR. - 51-55

Product identifier: 51-55

Relevant identified uses of the

substance or mixture and uses

advised against:

Multi Purpose Cleaner

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

1275 Round Table Drive

Dallas, TX 75247

Emergency telephone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





GHS Classification: Serious Eye Damage/Eye Irritation Category 1

Skin Corrosion/Irritation Category 2

Flammable Liquid Category 4

GHS Signal Word: Danger

GHS Hazard Statements: Cumbustible Liquid

Causes skin irritation.

Causes serious eye damage.

GHS Precautionary Statements:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/....

Page **1** of **7**

Product Name: RED HOT ALL PURPOSE CLNR. - 51-55

Product identifier: 51-55 **Revision Date:** 07-18-2015

Replaces:

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

In case of fire: Use for extinction.

Storage: Store in a well-ventilated place. Keep cool. **Disposal:** Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive

classified:

exposure to skin.

3. Composition/information on ingredients

| Chemical Component: | CAS number and other unique identifiers | % (or range) of ingredient | |
|---------------------------------|-----------------------------------------|----------------------------|--|
| Ethylene glycol monobutyl ether | 111-76-2 | 3 - 7 | |
| Sodium metasilicate | 6834-92-0 | 1 - 5 | |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. This corrosive material can cause

immediate and permanent eye damage. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Flush eye with water for 20 minutes. Get medical

attention. Seek immediate medical attention.

Skin Contact: Wash with soap and water under a drench shower. Remove

contaminated clothing, launder immediately, and discard

contaminated leather goods. Get medical attention immediately. Wash affected area thoroughly with soap and water. Seek medical

advice if symptoms persist

Inhalation: Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. If inhaled, remove victim from

exposure to a well-ventilated area.

Ingestion: Corrosive. Do not induce vomiting! Drink one glass of water

followed by milk if available. Seek medical attention immediately and give the medical care provider with this MSDS. Do not induce vomiting unless directed to do so by medical personnel. Drink 1-2 glasses of milk to dilute product. Call a physician or poison control

Page 2 of 7

Product Name: RED HOT ALL PURPOSE CLNR. - 51-55

Product identifier: 51-55 **Revision Date:** 07-18-2015

Replaces:

center immediately. Never give anything by mouth to an

unconscious person

Most important symptoms/effects (Delayed:

Eye contact may cause burns, irritation, tearing and corneal

damage.

Ingestion may cause nausea and irritation.

Prolonged inhalation of vapors may cause burns to nasal passages,

respiratory tract and lungs.

Immediate medical attention and special treatment needed,:

No additional first aid information available

5. Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water

Carbon monoxide. Carbon dioxide

spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Water spray Alcohol foam Dry chemical

Carbon dioxide

Unsuitable extinguishing media: Fire and/or Explosion Hazards:

No data available

ion Hazards: Material may be ignited if preheated to temperatures above the flash point in the presence of a source of ignition. Do not expose

container to heat, flame, sparks or other sources of ignition.

Hazardous Combustion

Products:

Special protective equipment and precautions for fire-

fighters:

Do not enter fire area without proper protection including self-

contained breathing apparatus and full protective equipment. Fight

fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill.

Never exceed any occupational exposure limits.

Methods and material for containment and cleaning up:

No special spill clean-up considerations. Collect and discard in regular trash. SMALL SPILL: Contain and collect with absorbent. LARGE SPILLS: Shut off leak if safe to do so. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Prevent spilled material from contaminating soil,

Product Name: RED HOT ALL PURPOSE CLNR. - 51-55

Product identifier: 51-55 **Revision Date:** 07-18-2015

Replaces:

entering sanitary sewers, storm sewers, and drainage systems, and entering bodies of water or ditches that lead to waterways.

7. Handling and storage

Precautions for safe handling: Toxic or severely irritating material. Avoid contacting and avoid

breathing the material. Use only in a well ventilated area. Keep

out of the reach of children.

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. Keep

from freezing, STORAGE TEMPERATURE: 0°C (32°F) Minimum to

60°C (140°F) Maximum. Shelf life is one year.

Materials to Avoid/Chemical

Incompatibility::

Strong oxidizing agents Strong acids

8. Exposure controls/personal protection

Limits:

| Chemical Component | OSHA PEL | ACGIH TLV-TWA | ACGIH STEI |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Ethylene glycol monobutyl ether | 50 ppm | 20 ppm | |
| Appropriate engineering controls.: | controls are necessary when overexposure. General or lo | ocess enclosures, or other eng handling or using this product cal ventilation or isolation may exposures below exposure limi | t to avoid y prove |
| Eye Protection: | Additionally, wear a face shidliquid exists. Do not wear co | es when handling this product. eld when the possibility of spla ntact lenses. Have an eye wasl goggles with splash guards or s | n station |
| Skin Protection: | and other protective equipm Inspect gloves for chemical be intervals. Clean protective ed other exposed areas with mi | ng chemically resistant gloves, a nent depending upon condition preak-through and replace at re quipment regularly. Wash hand lid soap and water before eating work. Use Nitrile/ Vinyl gloves | ns of use. egular ds and |
| Respiratory Protection: | Respiratory protection must Use respirators only if ventile symptoms or reduce the exp supplied air type respirator r | be used when handling this pration cannot be used to elimin to be used to | ate els. A ator - |
| Other Protective Equipment: | . • | th splash guards or side shields | |
| General Hygiene Conditions: | Keep out of the reach of chil | dren. | |

Page **4** of **7**

Product Name: RED HOT ALL PURPOSE CLNR. - 51-55

Product identifier: 51-55 Revision Date: 07-18-2015

Replaces:

9. Physical and chemical properties

Appearance (physical state): Liquid Color: Red

Odor: ModerateCinnamon
Odor threshold: No data available

pH: >11.5

Melting Point/Freezing Point (°C):

No data available

Initial Boiling Point and Boiling Range (°C): 100 Flash Point (°C): 66

Evaporation Rate:

Flammability (solid, gas):

Upper Flammable/Explosive Limit:

No data available

17.5 MMHG@20C/68F

Vapor Density:

No data available

Relative Density: 1.06

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition Temperature (°C):

Decomposition Temperature::

No data available

No data available

Viscosity:

No data available

VOC (as packaged-less exempts and water) 32 g/L or

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Conditions to avoid: None known. .

Incompatible materials:Strong oxidizing agents Strong acidsHazardous decompositionCarbon dioxide Carbon monoxide

products:

11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and

Skin contact, Eye contact, Ingestion

eye contact):

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can be corrosive to the respiratory tract causing severe irritation and tissue damage.

Irritating to the nose, throat, and respiratory tract.

Skin Contact: Corrosive to skin tissue. Can cause chemical burns. May cause skin irritation.

Product Name: RED HOT ALL PURPOSE CLNR. - 51-55

Product identifier: 51-55 Revision Date: 07-18-2015

Replaces:

Skin Absorption: No absorption hazard in normal industrial use. Causes skin burns

Eye Contact: Corrosive to eye tissue. Can cause severe irritation, tearing, and burns that can

quickly lead to permanent injury including blindness. Causes eye burns.

Ingestion Irritation: Corrosive to tissue. Can cause severe and permanent damage to mouth, throat,

stomach. Aspiration may lead to lung damage. Can burn mouth, throat, and

stomach.

Ingestion Toxicity: Harmful if swallowed. May cause systemic poisoning.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can be corrosive to the respiratory tract

causing severe irritation and tissue damage.

Skin Contact: Upon prolonged or repeated contact, corrosive to skin tissue. Can cause chemical

burns.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data

| Chemical Component | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------|-----------|-------------|-----------------|
| No data available | | | |

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|-------------------|-----------------|-----------------|----------------|
| No data available | | | |

12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability:

No data available All ingredients are considered biodegradable.

Mobility in soil:
Other adverse effects (such as

No data available No data available

hazardous to the ozone layer):

Ecological Toxicity Data

| Chemical Component | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|--------------------|------------------------|---------------------|-------------------|
| No data available | | | |
| | | | |

Product Name: RED HOT ALL PURPOSE CLNR. - 51-55

Product identifier: 51-55 **Revision Date:** 07-18-2015

Replaces:

13. Disposal considerations

Description of waste residues: Spent or discarded material may be a hazardous waste. Safe Handling of Waste:

Disposal must be in accordance with applicable Federal,

State/Provincial and Local regulations.

Waste treatment methods

Dispose of by incineration following Federal, State, Local, or

(including packaging): Provincial regulations.

14. Transport information

UN proper shipping name: Refer to bill of lading or container label for DOT or other

transportation hazard classification, if any.

15. Regulatory information

TSCA Status: All chemicals in this product are listed, or are exempt from

listing on the TSCA Inventory.

Regulated Components:

| Chemical Component | CAS number and other unique identifiers | CERCLA | SARA EHS | SARA 313 | California Prop 65 |
|--------------------|-----------------------------------------|--------|----------|----------|-----------------------|
| No data available | | | | | |

16. Other information, including date of preparation or last revision.

Revision Date: 07-18-2015

Revision Number:

NOTICE: The information accumulated herein is believed to be correct as of the date issued from Disclaimer: sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances