Product Name: XP COOL BLUE 5 GAL Product identifier: 60-5 Revision Date: 07-18-2015 Replaces:



### 1. Identification

Product Name: Product identifier: Relevant identified uses of the substance or mixture and uses advised against:	<b>XP COOL BLUE 5 GAL</b> 60-5 Automotive reconditioning product
Chemical Manufacturer / Importer / Distributor: Emergency telephone number:	ITW Evercoat a division of Illinois Tool Works Inc. 1275 Round Table Drive Dallas, TX 75247 CHEMTREC: 1-800-424-9300 CANUTEC: 1-613-996-6666

### 2. Hazard(s) identification

#### Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification:	Not classified as hazardous under GHS
Hazards not otherwise classified:	MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

### 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
No Hazardous Ingredients		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Product Name: XP COOL BLUE 5 GAL Product identifier: 60-5 Revision Date: 07-18-2015 Replaces:

4. First-aid measures	
Eye Contact:	Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty
	minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Flush eye with water for 20 minutes. Get medical attention. Seek immediate medical attention.
Skin Contact:	Wash with soap and water. Wash affected area thoroughly with soap and water.
Inhalation:	This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure. If inhaled, remove victim from exposure to a well-ventilated area.
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. Call a physician or poison control center immediately.
Immediate medical attention and special treatment needed,:	No additional first aid information available

# 5. Fire-fighting measures

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid. Water spray Alcohol foam Dry chemical Carbon dioxide
Unsuitable extinguishing media:	No data available
Fire and/or Explosion Hazards:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide
Special protective equipment	Do not enter fire area without proper protection including self-
and precautions for fire-	contained breathing apparatus and full protective equipment. Use
fighters:	methods for the surrounding fire.
6. Accidental release measures	
Personal precautions,	No adverse health affects expected from the clean-up of spilled
protective equipment and	material. Follow personal protective equipment recommendations
emergency procedures:	found in Section VIII of this MSDS.
Methods and material for	No special spill clean-up considerations. Collect and discard in

Product Name: XP COOL BLUE 5 GAL Product identifier: 60-5 Revision Date: 07-18-2015 Replaces:

nepiaces.	
containment and cleaning up:	regular trash. SMALL SPILL: Contain and collect with absorbent. LARGE SPILLS: Shut off leak if safe to do so. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Prevent spilled material from contaminating soil, entering sanitary sewers, storm sewers, and drainage systems, and entering bodies of water or ditches that lead to waterways.
7. Handling and storage	
Precautions for safe handling:	No special handling instructions due to toxicity. Keep out of the reach of children.
Conditions for safe storage:	Store in a cool dry place. Isolate from incompatible materials. STORAGE TEMPERATURE: 0°C (32°F) Minimum to 50°C (122°F) Maximum. Shelf life is one year.
Materials to Avoid/Chemical Incompatibility::	Strong oxidizing agents Strong acids Strong alkalies

# 8. Exposure controls/personal protection

## Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available			
Appropriate engineering controls.:	engineering controls are like comfort under normal cond	the constituents of this produce by to be required to maintain itions of use. General or local prove adequate to keep airboo imits.	operator
Eye Protection:	Wear safety glasses when h goggles with splash guards o	andling this product. Safety G or side shields.	lasses or
Skin Protection:	contact, practice good perso	kin hazard. Where use can res onal hygiene. Wash hands and op and water before eating, dri e Nitrile/ Vinyl gloves	other
Respiratory Protection:	No respiratory protection re Follow a respiratory protect	equired under normal condition ion program that meets 29 CF quirements whenever work pl	R
Other Protective Equipment:	Safety Glasses or goggles with splash guards or side shields. Use Nitrile/ Vinyl gloves		
General Hygiene Conditions:	Keep out of the reach of chi	ldren.	

Product Name: XP COOL BLUE 5 GAL Product identifier: 60-5 Revision Date: 07-18-2015 Replaces:

## 9. Physical and chemical properties

Appearance (physical state): Color:	Liquid Blue
Odor:	Fruity
Odor threshold:	No data available
pH:	~ 6 to 9
Melting Point/Freezing Point (°C):	No data available
Initial Boiling Point and Boiling Range (°C):	100
Flash Point (°C):	210
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper Flammable/Explosive Limit:	No data available
Lower Flammable/Explosive Limit:	No data available
Vapor Pressure:	17.5 MMHG@20C/68F
Vapor Density:	No data available
Relative Density:	1
Solubility(ies):	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition Temperature (°C):	No data available
Decomposition Temperature::	No data available
Viscosity:	No data available

# 10. Stability and reactivity

No data available Stable under normal conditions.
Temperatures above the high flash point of this combustible
material in combination with sparks, open flames, or other sources
of ignition. Contamination.
Strong oxidizing agents Strong acids Strong alkalies
Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide

# 11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and eye contact):	Skin contact, Eye contact, Ingestion			
Immediate (Acute) Health Effects by Route of Exposure:				
Inhalation Irritation:	No hazard in normal industrial use. Harmful if inhaled.			
Skin Contact:	No hazard in normal industrial use.			
Skin Absorption:	No absorption hazard in normal industrial use. Causes skin irritation.			

Product Name: XP COOL BLUE 5 GAL Product identifier: 60-5 Revision Date: 07-18-2015 Replaces:

#### Eye Contact: Can cause minor irritation, tearing and reddening. Can cause irritation. **Ingestion Irritation:** No hazard in normal industrial use. Irritating to mouth, throat, and stomach. **Ingestion Toxicity:** Long-Term (Chronic) Health Effects: Carcinogenicity: None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA. No data available to indicate product or any components present at greater than **Reproductive and Developmental Toxicity:** 0.1% may cause birth defects. Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic. Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use. Skin Contact: Unlikely to cause irritation even on repeated contact. Upon prolonged or repeated exposure, no hazard in normal industrial use. Skin Absorption:

**Component Toxicology Data** 

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

### Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

	12. Ecological information
--	----------------------------

Ecotoxicity (aquatic and terrestrial, where available):	This material is not expected to be harmful to the ecology.
Persistence and degradability:	No data available
Mobility in soil:	No data available
Other adverse effects (such as	No data available
hazardous to the ozone layer):	

#### **Ecological Toxicity Data**

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

#### 13. Disposal considerations

Description of waste residues:	Spent or discarded material is non-hazardous according to
-	environmental regulations.
Safe Handling of Waste:	Disposal must be in accordance with applicable Federal,
	State/Provincial and Local regulations.

#### Page 5 of 6

Waste treatment methods (including packaging):	Dispose of in a landfill. Disposal is not likely to be regulated.
14. Transport information	

UN proper shipping name:	Refer to bill of lading or container label for DOT or other			
	transportation hazard classification, if any.			

	15. Regulatory information	
--	----------------------------	--

TSCA Status:	All chemicals in this product are listed, or are exempt from			
	listing on the TSCA Inventory.			

### **Regulated Components:**

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

16. Other information, including date of preparation or last revision.		
Revision Date: Revision Number:	07-18-2015 6	

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances