Due North Scents New Car

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 1 of 8

Print Date: 2021-10-06 13:53

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Due North Scents New Car

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Distributor: DSI Automotive Products

1271 Fayland Dr Fargo, ND 58102 (800) 437-4621

1.4 Emergency telephone number: (800) 535-5053

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicology, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Reproductive Toxicology, Category 1B H360: May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Danger

Due North Scents New Car

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 2 of 8

Print Date: 2021-10-06 13:53

Hazard statments	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Uro	11/0	nti	\sim	~ :
Pre	vc		v	
			_	

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
sponse:	

Res

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
140-11-4	205-399-7	5 - 10 %	H303; H401; H412	
Benzyl acetate				
78-69-3	201-133-9	2 - 5 %	H227; H315; H317; H319; H401	
Tetrahydro	linalool			
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	
Tetramethyl Acetyloctahydronaphthalenes				
6259-76-3	228-408-6	2 - 5 %	H316; H317; H400; H410	
Hexyl salic	ylate			

Due North Scents New Car

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 3 of 8

Print Date: 2021-10-06 13:53

CAS# Ingredient	EC#	Conc. Range	GHS Classification
60-12-8 phenethy	200-456-2 d alcohol	2 - 5 %	H302; H313; H316; H319
93-92-5	202-288-5	1 - 2 %	H227; H402
methylbe	nzyl acetate		
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
105-95-3	203-347-8	1 - 2 %	H401
Ethylene	brassylate		
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402
2,6-dime	thyloct-7-en-2-o	I	
54830-99-8	259-367-2	1 - 2 %	H303; H316; H402
Acetoxya	lihydrodicyclope	ntadiene	
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H360; H401;
Butylphei	nyl Methylpropic	onal	H412
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402
Coumarir	7		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
See Section	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

Due North Scents New Car

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 4 of 8

Print Date: 2021-10-06 13:53

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

10

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4 Benzyl acetate

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Due North Scents New Car

Page 5 of 8

Print Date: 2021-10-06 13:53

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow (G2) to Yellow (G4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0170

 %VOC:
 6.50

 Specific Gravity @ 25 C:
 1.0660

 Density @ 25 C:
 1.0630

 Refractive Index @ 20 C:
 1.4780

 Soluble in:
 Water

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

(LD50: 4097.5409) May be harmful if swallowed

Due North Scents New Car

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 6 of 8

Print Date: 2021-10-06 13:53

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2870.0581) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 96.0688) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

54464-57-2 : (2 - 5 %) : Tetramethyl Acetyloctahydronaphthalenes

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

Due North Scents New Car

SDS v1 GHS / OSHA

H412: Harmful to aquatic life with long lasting effects

Revised Date: 2021-01-13 00:00

Page 7 of 8

Print Date: 2021-10-06 13:53

Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

Canadian Regulations

No Warning required

DSL 99.98% of the components are listed or exempt. The following

components are NOT on the List:

16510-27-3 0.01 - 0.1% 1-Cyclopropylmethyl-4-methoxybenzene

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H410: Very toxic to aquatic life with long lasting effects

H227 : Combustible liquid
H302 : Harmful if swallowed
H315 : Causes skin irritation
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

Total Fractional Values

(TFV) Risk
(52.05) Acute Toxicity Inhalation, Category 5
(25.00) Sensitization, Skin, Category 1A
(25.00) Sensitization, Skin, Category 1A
(21.90) Aquatic Chronic Toxicity, Category 3
(4.80) Sensitization, Skin, Category 1B
(2.16) Aquatic Chronic Toxicity, Category 2
(1.74) Acute Toxicity Dermal, Category 5
(TFV) Risk
(25.00) Sensitization, Skin, Category 1
(21.90) Aquatic Chronic Toxicity, Category 3
(1.82) Skin Corrosion/Irritation, Category 3
(1.22) Acute Toxicity Oral, Category 5

Due North Scents New Car

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Page 8 of 8

Print Date: 2021-10-06 13:53

DISCLAIMER

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. The above named supplier or any subsidiaries assume no liability for the accuracy of this information or the misuse of the product. This document is not intended for quality assurance purposes.