


I-SHEET NUMBER: INST-00013 PART NUMBER: F15-QCTX PRODUCT: Growler Running Board APPLICATION: 2015-18 F-150/F-250/F-350/F-450

HARDWARE DESCRIPTION	QTY.
HWKT-05693X	1
M8 flanged nuts	12
3/8"x1" Flanged hex bolt	12



PARTS INCLUDED	QTY
Running Boards	2
Rocker Panel mounting Brackets	6
Threaded clamp plates	6






Phone (281) 880-6322 - Fax (281) 880-6325 REVISION DATE 07/22/19 **Step 1:** Starting with the Driver Side. Remove all 8mm flange nuts from the 8mm factory threaded studs to remove the OE running boards. Repeat for passenger side.



<u>Step 2:</u> Install three of the supplied mounting brackets (both sides) to the factory locations and loosely fasten with the M8 flanged nuts.


*** BRACKET ORINTATION ***





I-SHEET NUMBER: INST-00013 PART NUMBER: F15-QCTX PRODUCT: Growler Running Board APPLICATION: 2015-18 F-150/F-250/F-350/F-450

<u>Step 3:</u> Set running board along the top of the two brackets and center along the cab.



<u>Step 4:</u> Insert the supplied threaded brackets (X3) inside the running board lip over the top of each bracket.

<u>Step 5:</u> With the supplied 3/8" x 1" hex bolts, secure each mounting location and leave loose.

<u>Step 6:</u> After finial adjustment, tighten all running board threaded mounts.

<u>Step 7</u>: Next, adjust frame brackets so the running board is level with body of the vehicle and tighten all factory-mounting locations.



<u>Step 8</u>: Repeat steps 3-7 for passenger side. Your install is now complete.