

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Revision date: 29.08.2017

Speedi Seal

Product code:

Page 1 of 8

1. Identification**Product identifier**

Speedi Seal

Recommended use of the chemical and restrictions on use**Use of the substance/mixture**

Adhesives, sealants

Uses advised against

Any non-intended use.

Details of the supplier of the safety data sheet

Company name:	Flitz International Ltd.	
Street:	821 Mohr Avenue,	
Place:	Waterford, WI 53185 - USA	
Telephone:	++ 1 262 5345898	Telefax: ++ 1 262 5342991
Internet:	www.flitz.com	

Emergency phone number: National Poison Control Center
Denver CO 1-800-222-1222 (U.S.)

2. Hazard(s) identification**Classification of the chemical****29 CFR Part 1910.1200**

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

Label elements**Hazards not otherwise classified**

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

3. Composition/information on ingredients**Mixtures****Chemical characterization**

The product does not contain dangerous substances to be mentioned in Chapter 3.

4. First-aid measures**Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Speedi Seal

Revision date: 29.08.2017

Product code:

Page 2 of 8

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂) Dry extinguishing powder, alcohol resistant foam, Atomized water.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the chemical

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO₂).

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Speedi Seal

Revision date: 29.08.2017

Product code:

Page 3 of 8

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

8. Exposure controls/personal protection

Control parameters

Additional advice on limit values

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Exposure controls

Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). Standards: EN 166 or 29 CFR 1910.133

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of the glove material 0,4 mm

Breakthrough time \geq 8 h

Butyl rubber. - Thickness of the glove material 0,5 mm

Breakthrough time \geq 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of the glove material 0,5 mm

Breakthrough time \geq 8 h

NBR (Nitrile rubber). - Thickness of the glove material 0,35 mm

Breakthrough time \geq 8 h

PVC (Polyvinyl chloride). - Thickness of the glove material 0,5 mm

Breakthrough time \geq 8 h

The selected protective gloves should satisfy the specifications of standards like EN 374.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No special precautionary measures are necessary.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	liquid
Color:	not determined
Odor:	characteristic
pH-Value:	not determined

Changes in the physical state

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Speedi Seal

Revision date: 29.08.2017

Product code:

Page 4 of 8

Melting point/freezing point:	not determined
Initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	not determined
Sustaining combustion:	Not sustaining combustion
Explosive properties	
none	
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	not determined
Auto-ignition temperature	
Gas:	not determined
Decomposition temperature:	not determined
Oxidizing properties	
none	
Vapor pressure:	not determined
Density:	not determined
Water solubility:	not determined
Solubility in other solvents	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Vapor density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Other information	
Solid content:	not determined
Product does not contain any petroleum or silicone.	

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stability: Stable

The product is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

Refer to chapter 10.5.

Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Speedi Seal

Revision date: 29.08.2017

Product code:

Page 5 of 8

Incompatible materials

Materials to avoid: Oxidising agent, strong Reducing agents, strong.

Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO₂).

11. Toxicological information

Information on toxicological effects

Route(s) of Entry

Ingestion: May be harmful if swallowed. Inhalation: May be harmful if inhaled. Skin contact: May cause irritation. Eye contact: May cause irritation.

Toxicokinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):

No ingredient of this mixture is listed.

Carcinogenicity (IARC):

No ingredient of this mixture is listed.

Carcinogenicity (NTP):

No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

12. Ecological information

Ecotoxicity

The product has not been tested.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

No indication of bioaccumulation potential.

Mobility in soil

No data available.

Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

13. Disposal considerations

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Speedi Seal

Revision date: 29.08.2017

Product code:

Page 6 of 8

Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.
Non-contaminated packages may be recycled.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

14. Transport information

US DOT 49 CFR 172.101

Proper shipping name:

Not a hazardous material with respect to these transport regulations. &&
Not controlled under DOT

Marine transport (IMDG)

UN number:

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

UN number:

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Special precautions for user

refer to chapter 6-8

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

15. Regulatory information

U.S. Regulations

National Inventory TSCA

All known hazardous substances (<0,1%) in this product are listed in the TSCA inventory
1,2-benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one listed under TSCA 12(b)

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Additional information

This mixture is classified as not hazardous according to Regulation 29 CFR Part 1910.1200.

16. Other information

Hazardous Materials Information Label (HMIS)

Health:	0
Flammability:	0
Physical Hazard:	0
Personal Protection:	-

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Speedi Seal

Revision date: 29.08.2017

Product code:

Page 7 of 8

NFPA Hazard Ratings

Health:	0
Flammability:	0
Reactivity:	0
Unique Hazard:	



Changes

Revision date:	29.08.2017
Revision No:	1,0
Rev. 1.0; Initial release: 29.08.2017	

Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
 ASTM: American Society for Testing and Materials.
 CAS Chemical Abstracts Service
 CFR: Code of Federal Regulations
 DNEL: Derived No Effect Level
 DOT: Department of Transportation
 EPA: Environmental Protection Agency
 HMIS: Hazardous Materials Identification System
 IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
 IBC: Intermediate Bulk Container
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 LOAEL: Lowest observed adverse effect level
 LOAEC: Lowest observed adverse effect concentration
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 MARPOL: marine pollution
 NOAEL: No observed adverse effect level
 NOAEC: No observed adverse effect level
 NTP: National Toxicology Program
 N/A: not applicable
 NFPA: National Fire Protection Association
 UN: United Nations
 OSHA: Occupational Safety and Health Administration
 PNEC: predicted no effect concentration
 PBT: Persistent bioaccumulative toxic
 SARA: Superfund Amendments and Reauthorization Act
 SVHC: substance of very high concern
 STEL: short-term exposure limits
 TSCA: Toxic Substances Control Act
 TWA: time weighted average
 VOC: Volatile Organic Compounds

Other data

Classification according 29 CFR Part 1910.1200: - Classification procedure:
 Health hazards: Calculation method.
 Environmental hazards: Calculation method.
 Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Speedi Seal

Revision date: 29.08.2017

Product code:

Page 8 of 8

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)